

***Bodet***



*CRISTALYS*

LCD clocks



### A FUTURISTIC DESIGN

- Indoor wall clock with extra flat casing.
- LCD display with wide viewing angle: 160° and excellent contrast.

### 2 CASING COLOURS



Aluminium White

### COMMON CHARACTERISTICS

- ABS casing, aluminium colour, for indoor installation, IP40.
- Wall mounting bracket with anti-theft system.
- Operating temperature range: from 0 to 50°C.
- Programming and time setting via 2 push-buttons.
- Power supply: 2 or 4 LR14 (C) batteries depending on model (which last over 3 years). Option: external 230 VAC/6 to 24VDC TBT power supply.
- Permanent data backup.
- Programmed daylight saving time schedules and multi-zone perpetual calendar.
- Wall mounting bracket with built-in 6-24V TBT power supply (removal of the batteries).

CRISTALYS 7



Fixed or alternating display.



24 hour time display mode



12 hour time display mode



Numerical date or week number display

CRISTALYS 14



Fixed or alternating display.



Time display



Temperature display



Date or year display

## PARTICULAR CHARACTERISTICS


### Cristalys Date / Ellipse

- Multifunction display :  
Date 18 languages, Ellipse 12 languages.
- Ambient temperature display in °C or F°.

### Cristalys 14

- Ambient temperature display in °C or F°.
- Date or year display.

## AVAILABLE TIME DISTRIBUTION SYSTEMS



	CRISTALYS 7	CRISTALYS 14	CRISTALYS ELLIPSE	CRYSTALYS DATE
Display size	70 mm	140 mm	Digits 60 mm Letters 30 mm	Digits 70 mm Letters 50 mm
Optimal viewing distance	30 m	60 m	30 m	30 m
Weight	0.7 kg	2 kg	1.4 kg	1.4 kg

### CRISTALYS ELLIPSE



Fixed or alternating display.



Temperature display



Multilingual date



Numerical date



Day number  
and week number



Text display  
7 characters

### CRYSTALYS DATE



Fixed or alternating display.



Indoor ambient  
temperature



Cities' name or  
places' name



Countdown to event



Multilingual date  
or numerical date



Day number  
or week number



Seconds counter

# The Bodet Group

*WE GIVE YOU TIME*



## Time

Time distribution  
Display signage  
LED display  
Audio system



## Sport

Timing  
Scoreboards  
Video display



## Campanaire

Bell renovation  
Frontage dials  
Bell electrification



## Software

Time management  
Access control  
HRIS



[www.bodet-time.com](http://www.bodet-time.com)

1, rue du Général de Gaulle  
49340 Trémentines | FRANCE

Email: [export@bodet-timesport.com](mailto:export@bodet-timesport.com)

Tel.: +33 2 41 71 72 33



Usine de Trémentines